

References & Suggested Additional Reading

- [1] R. R. Allen and R. C. O'Massey 1981, "Longitudinal instability in braked landing gear", *Trans. of ASME, Jou. of Dynamic Systems, Measurement and Control*, Vol. 103, pp. 259-265.
- [2] J. C. Alexander and J. H. Maddocks 1989, "On the kinematics of wheeled mobile robots", *The Int. Jou. of Robotics Research*, Vol. 8, pp. 15-27.
- [3] N. Ament, M. Bern and M. Kamvysselis 1998, "A new Voronoi-based surface reconstruction algorithm", *SIGGRAPH '98 Proceedings*, pp. 415-421.
- [4] C. L. Bajaj, F. Bernardini and G. Xu 1995, "Automatic reconstruction of surfaces and scalar fields from 3D scans", *SIGGRAPH '95 Proceedings*, pp. 109-118.
- [5] R. Balakrishna and A. Ghosal 1995, "Modeling of slip for wheeled mobile robots", *IEEE Trans. on Robotics and Automation*, Vol. 11, pp. 126-132.
- [6] F. D. Boyden and A. V. Steven 1994, "Dynamic modeling of wheeled mobile robots for high load application", *Proc. of IEEE Conf. on Intelligent Robots and System*, pp 3071-3078.
- [7] N. Chakraborty 2003, *Modeling of wheeled mobile robots on uneven terrain*, M. Sc(Engg.) Thesis, Dept. of Mechanical Engg., IISc Bangalore.
- [8] N. Chakraborty and A. Ghosal 2004, "Kinematics of wheeled mobile robots on uneven terrain", *Mechanism and Machine Theory*, Vol. 39, pp. 1273-1287.
- [9] N. Chakraborty and A. Ghosal 2005, "Dynamic modeling and simulation of a wheeled mobile robot for traversing uneven terrain without slip", *Trans. of ASME, Jou. of Mechanical Design*, Vol. 127, pp. 901-909.
- [10] C. Chang and T. Lee 1990, "Stability analysis of three and four-wheeled vehicles", *JSME Int. Journal*, Series III, Vol. 33, pp. 567-574.

- [11] B. J. Choi and S. V. Sreenivasan 1999, "Gross motion characteristics of articulated robots with pure rolling capability on smooth uneven surfaces", *IEEE Trans. on Robotics and Automation*, Vol. 15, pp. 340-343.
- [12] B. J. Choi, S. V. Sreenivasan, and P. W. Davis 1999, "Two wheels connected by an un-actuated variable length axle on uneven ground: kinematic modeling and experiments", *Trans. of ASME, Jou. of Mechanical Design*, Vol. 121, pp. 235-240.
- [13] S. Cooper and H. F. Durrant Whyte 1994, "A Kalman filter model for GPS navigation of land vehicles", *Proc. of the Int. Conf. of Intelligent Robots and Systems*, pp. 157-163.
- [14] J. K. Davidson and G. Schweitzer G. 1990, "A mechanical based computer algorithm for displaying the margin of static stability in four-legged vehicles", *Trans. of ASME, Jou. of Mechanical Design*, Vol. 112, pp 480-487.
- [15] H. Dugoff, P. S. Fancher and L. Segel, 1970, "An analysis of tire traction properties and their influence on vehicle dynamic performance", *SAE Transactions*, Paper No. 700377.
- [16] H. Edelsbrunner and E. P. Mucke 1994, "Three-dimensional alpha shapes", *ACM Trans. on Graphics*, Vol. 19, pp. 43-72.
- [17] A. Ghasempoor and N. Sepehri 1995, "A measure of machine stability for moving base manipulators", *Proc. of IEEE Conf. on Robotics and Automation*, pp. 2249-2254.
- [18] H. Goldstein 1980, *Classical Mechanics*, 2nd Ed., Addison-Wesley Publishing Co.
- [19] A. Heck 2003, *Introduction to Maple*, 3rd Ed., Springer-Verlag.
- [20] Q. Huang and S. Sugano 1995, "Manipulator motion planning for stabilizing a mobile manipulator", *Proc. of IEEE Conf. on Intelligent Robotics and Systems*, pp. 467-472.
- [21] MATLAB Users Manual, Mathwork Inc., Massachusetts, 1992.
- [22] R. B. McGhee and G. I. Iswandhi 1979, "Adaptive locomotion of a multi-legged robot over rough terrain", *IEEE Trans. on Systems, Man and Cybernetics*, Vol. SMC-9, pp. 76-82.

- [23] D. A. Messuri and C. A. Klein 1985, "Automatic body regulation for maintaining stability of legged vehicles during rough terrain locomotion", *IEEE Trans. on Robotics and Automation*, Vol. RA-1, pp. 132-141.
- [24] D. J. Montana 1988, "The kinematics of contact and grasp", *The Int. Jou. of Robotics Research*, Vol. 7, pp. 17-32.
- [25] M. E. Mortenson 1985, *Geometric Modeling*, John Wiley & Sons.
- [26] P. F. Muir and C. P. Newman 1987, "Kinematic modeling of wheeled mobile robots", *Jou. of Robotic Systems*, Vol. 4, pp. 281-329.
- [27] A. Ollero A. and G. Heredia 1995, "Stability analysis of mobile robot path tracking", *Proc. of IEEE Conf. on Intelligent Robots and System*, pp 461-466.
- [28] E. G. Papadopoulos and D. A. Rey 1996, "A new measure of tip-over stability margin for mobile manipulators" *Proc. of IEEE Conf. on Robotics and Automation*, pp. 3111-3116.
- [29] M. K. Pathak 2004, *Stability studies of wheeled mobile robots with toroidal wheels on rough terrain*, M. Sc(Engg.) Thesis, Dept. of Mechanical Engg., IISc Bangalore.
- [30] G. Puleo 1970, "Automatic brake proportioning devices", *SAE Transactions*, Paper No. 700375.
- [31] S. V. Sreenivasan and B. H. Wilcox 1994, "Stability and traction control of an actively actuated micro-rover", *Jou. of Robotic Systems*, Vol. 11, pp. 487-502.
- [32] H. Tan and Y. Chin 1991, "Vehicle traction control: variable structure control approach", *Trans. of ASME, Jou. of Dynamic Systems, Measurement and Control*, Vol. 113, pp. 223-230.
- [33] K. J. Waldron 1995, "Terrain adaptive vehicles", *Trans. of ASME, Jou. of Mechanical Design*, Vol. 117B, pp. 107-112.
- [34] S. Wolfram 1999, *The Mathematica Book*, 4th Ed., Cambridge University Press.